




FASTENERS

Bonding Fastener Price Guide



2018






VECK COMPOSITE FASTENERS LTD

Tel. +44 (0)1305 257800 - Fax. +44 (0)1305 259420
Email. info@veckfasteners.com - www.veckfasteners.com





The above images are NOT to scale and are for illustration only.



The above images are NOT to scale and are for illustration only



Zinc plated Mild Steel male threaded stud on a 15x15mm square base plate

EXAMPLE OF PART NUMBER

- MS** - mild steel
- M1** - male threaded stud
- B** - blind perforated base plate
- 1515** - 15x15mm base plate
- M4** - metric thread diameter
- 12** - length of thread in mm

| part number | fastener size |
|---------------|---------------|
| MSM1B1515M412 | M4x12 |
| MSM1B1515M416 | M4x16 |
| MSM1B1515M420 | M4x20 |
| MSM1B1515M425 | M4x25 |
| MSM1B1515M430 | M4x30 |
| MSM1B1515M440 | M4x40 |
| MSM1B1515M450 | M4x50 |
| MSM1B1515M512 | M5x12 |
| MSM1B1515M516 | M5x16 |

| part number | fastener size |
|---------------|---------------|
| MSM1B1515M520 | M5x20 |
| MSM1B1515M525 | M5x25 |
| MSM1B1515M530 | M5x30 |
| MSM1B1515M540 | M5x40 |
| MSM1B1515M550 | M5x50 |
| MSM1B1515M560 | M5x60 |
| MSM1B1515M575 | M5x75 |
| MSM1B1515M612 | M6x12 |
| MSM1B1515M616 | M6x16 |

| part number | fastener size |
|---------------|---------------|
| MSM1B1515M620 | M6x20 |
| MSM1B1515M625 | M6x25 |
| MSM1B1515M630 | M6x30 |
| MSM1B1515M640 | M6x40 |
| MSM1B1515M650 | M6x50 |
| MSM1B1515M660 | M6x60 |
| MSM1B1515M675 | M6x75 |



Zinc plated Mild Steel male threaded stud on a 19mm diameter base plate

EXAMPLE OF PART NUMBER

- MS** - mild steel
- M1** - male threaded stud
- B** - blind perforated base plate
- 19** - 19mm base plate
- M4** - metric thread diameter
- 12** - length of thread in mm

| part number | fastener size |
|-------------|---------------|
| MSM1B19M412 | M4x12 |
| MSM1B19M416 | M4x16 |
| MSM1B19M420 | M4x20 |
| MSM1B19M425 | M4x25 |
| MSM1B19M430 | M4x30 |
| MSM1B19M440 | M4x40 |
| MSM1B19M450 | M4x50 |
| MSM1B19M460 | M4x60 |
| MSM1B19M475 | M4x75 |
| MSM1B19M512 | M5x12 |
| MSM1B19M516 | M5x16 |
| MSM1B19M520 | M5x20 |
| MSM1B19M525 | M5x25 |
| MSM1B19M530 | M5x30 |
| MSM1B19M540 | M5x40 |
| MSM1B19M550 | M5x50 |

| part number | fastener size |
|-------------|---------------|
| MSM1B19M560 | M5x60 |
| MSM1B19M575 | M5x75 |
| MSM1B19M612 | M6x12 |
| MSM1B19M616 | M6x16 |
| MSM1B19M620 | M6x20 |
| MSM1B19M625 | M6x25 |
| MSM1B19M630 | M6x30 |
| MSM1B19M640 | M6x40 |
| MSM1B19M650 | M6x50 |
| MSM1B19M660 | M6x60 |
| MSM1B19M675 | M6x75 |
| MSM1B19M812 | M8x12 |
| MSM1B19M816 | M8x16 |
| MSM1B19M820 | M8x20 |
| MSM1B19M825 | M8x25 |
| MSM1B19M830 | M8x30 |

| part number | fastener size |
|--------------|---------------|
| MSM1B19M840 | M8x40 |
| MSM1B19M850 | M8x50 |
| MSM1B19M860 | M8x60 |
| MSM1B19M875 | M8x75 |
| MSM1B19M1012 | M10x12 |
| MSM1B19M1016 | M10x16 |
| MSM1B19M1020 | M10x20 |
| MSM1B19M1025 | M10x25 |
| MSM1B19M1030 | M10x30 |
| MSM1B19M1040 | M10x40 |
| MSM1B19M1050 | M10x50 |
| MSM1B19M1060 | M10x60 |
| MSM1B19M1075 | M10x75 |



Zinc plated Mild Steel male threaded stud on a 23mm diameter base plate


EXAMPLE OF PART NUMBER

- MS** - mild steel
- M1** - male threaded stud
- B** - blind perforated base plate
- 23** - 23mm base plate
- M4** - metric thread diameter
- 12** - length of thread in mm

| part number | fastener size |
|-------------|---------------|
| MSM1B23M412 | M4x12 |
| MSM1B23M416 | M4x16 |
| MSM1B23M420 | M4x20 |
| MSM1B23M425 | M4x25 |
| MSM1B23M430 | M4x30 |
| MSM1B23M440 | M4x40 |
| MSM1B23M450 | M4x50 |
| MSM1B23M460 | M4x60 |
| MSM1B23M475 | M4x75 |
| MSM1B23M512 | M5x12 |
| MSM1B23M516 | M5x16 |
| MSM1B23M520 | M5x20 |
| MSM1B23M525 | M5x25 |
| MSM1B23M530 | M5x30 |
| MSM1B23M540 | M5x40 |

| part number | fastener size |
|-------------|---------------|
| MSM1B23M550 | M5x50 |
| MSM1B23M560 | M5x60 |
| MSM1B23M575 | M5x75 |
| MSM1B23M612 | M6x12 |
| MSM1B23M616 | M6x16 |
| MSM1B23M620 | M6x20 |
| MSM1B23M625 | M6x25 |
| MSM1B23M630 | M6x30 |
| MSM1B23M640 | M6x40 |
| MSM1B23M650 | M6x50 |
| MSM1B23M660 | M6x60 |
| MSM1B23M675 | M6x75 |
| MSM1B23M812 | M8x12 |
| MSM1B23M816 | M8x16 |
| MSM1B23M820 | M8x20 |

| part number | fastener size |
|--------------|---------------|
| MSM1B23M825 | M8x25 |
| MSM1B23M830 | M8x30 |
| MSM1B23M840 | M8x40 |
| MSM1B23M850 | M8x50 |
| MSM1B23M860 | M8x60 |
| MSM1B23M875 | M8x75 |
| MSM1B23M1012 | M10x12 |
| MSM1B23M1016 | M10x16 |
| MSM1B23M1020 | M10x20 |
| MSM1B23M1025 | M10x25 |
| MSM1B23M1030 | M10x30 |
| MSM1B23M1040 | M10x40 |
| MSM1B23M1050 | M10x50 |
| MSM1B23M1060 | M10x60 |
| MSM1B23M1075 | M10x75 |



Zinc plated Mild Steel male threaded stud on a 30x30mm square base plate


EXAMPLE OF PART NUMBER

- MS** - mild steel
- M1** - male threaded stud
- B** - blind perforated base plate
- 3030** - 30x30mm base plate
- M4** - metric thread diameter
- 12** - length of thread in mm

| part number | fastener size |
|---------------|---------------|
| MSM1B3030M412 | M4x12 |
| MSM1B3030M416 | M4x16 |
| MSM1B3030M420 | M4x20 |
| MSM1B3030M425 | M4x25 |
| MSM1B3030M430 | M4x30 |
| MSM1B3030M440 | M4x40 |
| MSM1B3030M450 | M4x50 |
| MSM1B3030M460 | M4x60 |
| MSM1B3030M475 | M4x75 |
| MSM1B3030M512 | M5x12 |
| MSM1B3030M516 | M5x16 |
| MSM1B3030M520 | M5x20 |
| MSM1B3030M525 | M5x25 |
| MSM1B3030M530 | M5x30 |
| MSM1B3030M540 | M5x40 |

| part number | fastener size |
|---------------|---------------|
| MSM1B3030M550 | M5x50 |
| MSM1B3030M560 | M5x60 |
| MSM1B3030M575 | M5x75 |
| MSM1B3030M612 | M6x12 |
| MSM1B3030M616 | M6x16 |
| MSM1B3030M620 | M6x20 |
| MSM1B3030M625 | M6x25 |
| MSM1B3030M630 | M6x30 |
| MSM1B3030M640 | M6x40 |
| MSM1B3030M650 | M6x50 |
| MSM1B3030M660 | M6x60 |
| MSM1B3030M675 | M6x75 |
| MSM1B3030M812 | M8x12 |
| MSM1B3030M816 | M8x16 |
| MSM1B3030M820 | M8x20 |

| part number | fastener size |
|----------------|---------------|
| MSM1B3030M825 | M8x25 |
| MSM1B3030M830 | M8x30 |
| MSM1B3030M840 | M8x40 |
| MSM1B3030M850 | M8x50 |
| MSM1B3030M860 | M8x60 |
| MSM1B3030M875 | M8x75 |
| MSM1B3030M1012 | M10x12 |
| MSM1B3030M1016 | M10x16 |
| MSM1B3030M1020 | M10x20 |
| MSM1B3030M1025 | M10x25 |
| MSM1B3030M1030 | M10x30 |
| MSM1B3030M1040 | M10x40 |
| MSM1B3030M1050 | M10x50 |
| MSM1B3030M1060 | M10x60 |
| MSM1B3030M1075 | M10x75 |




Zinc plated Mild Steel male threaded stud on a 38x15mm rectangular base plate

EXAMPLE OF PART NUMBER

- MS** - mild steel
- M1** - male threaded stud
- B** - blind perforated base plate
- 3815** - 38x15mm base plate
- M4** - metric thread diameter
- 12** - length of thread in mm

| part number | fastener size | part number | fastener size | part number | fastener size |
|---------------|---------------|---------------|---------------|----------------|---------------|
| MSM1B3815M412 | M4x12 | MSM1B3815M550 | M5x50 | MSM1B3815M825 | M8x25 |
| MSM1B3815M416 | M4x16 | MSM1B3815M560 | M5x60 | MSM1B3815M830 | M8x30 |
| MSM1B3815M420 | M4x20 | MSM1B3815M575 | M5x75 | MSM1B3815M840 | M8x40 |
| MSM1B3815M425 | M4x25 | MSM1B3815M612 | M6x12 | MSM1B3815M850 | M8x50 |
| MSM1B3815M430 | M4x30 | MSM1B3815M616 | M6x16 | MSM1B3815M860 | M8x60 |
| MSM1B3815M440 | M4x40 | MSM1B3815M620 | M6x20 | MSM1B3815M875 | M8x75 |
| MSM1B3815M450 | M4x50 | MSM1B3815M625 | M6x25 | MSM1B3815M1012 | M10x12 |
| MSM1B3815M460 | M4x60 | MSM1B3815M630 | M6x30 | MSM1B3815M1016 | M10x16 |
| MSM1B3815M475 | M4x75 | MSM1B3815M640 | M6x40 | MSM1B3815M1020 | M10x20 |
| MSM1B3815M512 | M5x12 | MSM1B3815M650 | M6x50 | MSM1B3815M1025 | M10x25 |
| MSM1B3815M516 | M5x16 | MSM1B3815M660 | M6x60 | MSM1B3815M1030 | M10x30 |
| MSM1B3815M520 | M5x20 | MSM1B3815M675 | M6x75 | MSM1B3815M1040 | M10x40 |
| MSM1B3815M525 | M5x25 | MSM1B3815M812 | M8x12 | MSM1B3815M1050 | M10x50 |
| MSM1B3815M530 | M5x30 | MSM1B3815M816 | M8x16 | MSM1B3815M1060 | M10x60 |
| MSM1B3815M540 | M5x40 | MSM1B3815M820 | M8x20 | MSM1B3815M1075 | M10x75 |




Zinc plated Mild Steel male threaded stud on a 38mm diameter base plate

EXAMPLE OF PART NUMBER

- MS** - mild steel
- M1** - male threaded stud
- B** - blind perforated base plate
- 38** - 38mm base plate
- M4** - metric thread diameter
- 12** - length of thread in mm

| part number | fastener size | part number | fastener size | part number | fastener size |
|-------------|---------------|-------------|---------------|--------------|---------------|
| MSM1B38M412 | M4x12 | MSM1B38M550 | M5x50 | MSM1B38M825 | M8x25 |
| MSM1B38M416 | M4x16 | MSM1B38M560 | M5x60 | MSM1B38M830 | M8x30 |
| MSM1B38M420 | M4x20 | MSM1B38M575 | M5x75 | MSM1B38M840 | M8x40 |
| MSM1B38M425 | M4x25 | MSM1B38M612 | M6x12 | MSM1B38M850 | M8x50 |
| MSM1B38M430 | M4x30 | MSM1B38M616 | M6x16 | MSM1B38M860 | M8x60 |
| MSM1B38M440 | M4x40 | MSM1B38M620 | M6x20 | MSM1B38M875 | M8x75 |
| MSM1B38M450 | M4x50 | MSM1B38M625 | M6x25 | MSM1B38M1012 | M10x12 |
| MSM1B38M460 | M4x60 | MSM1B38M630 | M6x30 | MSM1B38M1016 | M10x16 |
| MSM1B38M475 | M4x75 | MSM1B38M640 | M6x40 | MSM1B38M1020 | M10x20 |
| MSM1B38M512 | M5x12 | MSM1B38M650 | M6x50 | MSM1B38M1025 | M10x25 |
| MSM1B38M516 | M5x16 | MSM1B38M660 | M6x60 | MSM1B38M1030 | M10x30 |
| MSM1B38M520 | M5x20 | MSM1B38M675 | M6x75 | MSM1B38M1040 | M10x40 |
| MSM1B38M525 | M5x25 | MSM1B38M812 | M8x12 | MSM1B38M1050 | M10x50 |
| MSM1B38M530 | M5x30 | MSM1B38M816 | M8x16 | MSM1B38M1060 | M10x60 |
| MSM1B38M540 | M5x40 | MSM1B38M820 | M8x20 | MSM1B38M1075 | M10x75 |



Zinc plated Mild Steel male threaded stud on a 50mm diameter base plate

EXAMPLE OF PART NUMBER

MS - mild steel
M1 - male threaded stud
B - blind perforated base plate
50 - 50mm base plate
M4 - metric thread diameter
12 - length of thread in mm

| part number | fastener size |
|-------------|---------------|
| MSM1B50M615 | M6x15 |
| MSM1B30M620 | M6x20 |
| MSM1B50M625 | M6x25 |
| MSM1B50M630 | M6x30 |
| MSM1B50M640 | M6x40 |
| MSM1B50M650 | M6x50 |
| MSM1B50M660 | M6x60 |
| MSM1B50M675 | M6x75 |

| part number | fastener size |
|-------------|---------------|
| MSM1B50M815 | M8x15 |
| MSM1B50M820 | M8x20 |
| MSM1B50M825 | M8x25 |
| MSM1B50M830 | M8x30 |
| MSM1B50M840 | M8x40 |
| MSM1B50M850 | M8x50 |
| MSM1B50M860 | M8x60 |
| MSM1B50M875 | M8x75 |

| part number | fastener size |
|--------------|---------------|
| MSM1B50M1015 | M10x15 |
| MSM1B50M1020 | M10x20 |
| MSM1B50M1025 | M10x25 |
| MSM1B50M1030 | M10x30 |
| MSM1B50M1040 | M10x40 |
| MSM1B50M1050 | M10x50 |
| MSM1B50M1060 | M10x60 |
| MSM1B50M1075 | M10x75 |



MTP

part number **fastener size**

| | |
|----------|-------|
| MTPM4X14 | M4x14 |
| MTPM5X25 | M5x25 |
| MTPM6x25 | M6x25 |
| MTPM6x50 | M6x50 |
| MTPM8X50 | M8x50 |

"Male thread protectors (closed end, tight fit)"

EXAMPLE OF PART NUMBER

MTP - male thread protector (tight fit) with closed end
M5 - for use with a male thread of this diameter
25 - for use with a male thread of this length



MTPT

part number **fastener size**

| | |
|-----------|-------|
| MTPTM5x25 | M5x25 |
| MTPTM6x12 | M6x12 |
| MTPTM6x25 | M6x25 |
| MTPTM8X30 | M8x30 |

"Male thread protectors (closed end, easy fit)"

EXAMPLE OF PART NUMBER

MTP - male thread protector (easy fit) with closed end
M6 - for use with a male thread of this diameter
12 - for use with a male thread of this length



MTPO

part number **fastener size**

| | |
|------------|--------|
| MTPOM4x25 | M4x25 |
| MTPOM5x25 | M5x25 |
| MTPOM6X25 | M6x25 |
| MTPOM6X50 | M6x50 |
| MTPOM8x19 | M8x19 |
| MTPOM8X22 | M8x22 |
| MTPOM8x75 | M8x75 |
| MTPOM10x30 | M10x30 |
| MTPOM10x50 | M10x50 |
| MTPOM10x75 | M10x75 |

"Male thread protectors (open end, easy fit)"


EXAMPLE OF PART NUMBER

MTP - male thread protector (easy fit) with open end
M4 - for use with a male thread of this diameter
25 - for use with a male thread of this length



Zinc plated Mild Steel male plain pin on a 15x15mm square base plate

| part number | fastener size | part number | fastener size |
|----------------|---------------|----------------|---------------|
| MSM4B151547512 | 4.75x12 | MSM4B151547540 | 4.75x40 |
| MSM4B151547516 | 4.75x16 | MSM4B151547550 | 4.75x50 |
| MSM4B151547520 | 4.75x20 | MSM4B151547560 | 4.75x60 |
| MSM4B151547525 | 4.75x25 | MSM4B151547575 | 4.75x75 |
| MSM4B151547530 | 4.75x30 | | |




Zinc plated Mild Steel male plain pin on a 19mm diameter base plate

| part number | fastener size | part number | fastener size |
|--------------|---------------|--------------|---------------|
| MSM4B1947512 | 4.75x12 | MSM4B1947540 | 4.75x40 |
| MSM4B1947516 | 4.75x16 | MSM4B1947550 | 4.75x50 |
| MSM4B1947520 | 4.75x20 | MSM4B1947560 | 4.75x60 |
| MSM4B1947525 | 4.75x25 | MSM4B1947575 | 4.75x75 |
| MSM4B1947530 | 4.75x30 | | |



Zinc plated Mild Steel male plain pin on a 23mm diameter base plate

| part number | fastener size | part number | fastener size |
|--------------|---------------|--------------|---------------|
| MSM4B2347512 | 4.75x12 | MSM4B2347540 | 4.75x40 |
| MSM4B2347516 | 4.75x16 | MSM4B2347550 | 4.75x50 |
| MSM4B2347520 | 4.75x20 | MSM4B2347560 | 4.75x60 |
| MSM4B2347525 | 4.75x25 | MSM4B2347575 | 4.75x75 |
| MSM4B2347530 | 4.75x30 | | |



Zinc plated Mild Steel male plain pin on a 30x30mm square base plate

| part number | fastener size | part number | fastener size |
|----------------|---------------|----------------|---------------|
| MSM4B303047512 | 4.75x12 | MSM4B303047540 | 4.75x40 |
| MSM4B303047516 | 4.75x16 | MSM4B303047550 | 4.75x50 |
| MSM4B303047520 | 4.75x20 | MSM4B303047560 | 4.75x60 |
| MSM4B303047525 | 4.75x25 | MSM4B303047575 | 4.75x75 |
| MSM4B303047530 | 4.75x30 | | |

EXAMPLE OF PART NUMBER

MS - mild steel
M4 - male plain pin
B - blind perforated base plate
1515 - 15x15mm base plate
475 - 4.75mm pin diameter
12 - pin length in mm

EXAMPLE OF PART NUMBER


MS - mild steel
M4 - male plain pin
B - blind perforated base plate
19 - 19mm base plate
475 - 4.75mm pin diameter
12 - pin length in mm

EXAMPLE OF PART NUMBER

MS - mild steel
M4 - male plain pin
B - blind perforated base plate
23 - 23mm base plate
475 - 4.75mm pin diameter
12 - pin length in mm

EXAMPLE OF PART NUMBER

MS - mild steel
M4 - male plain pin
B - blind perforated base plate
3030 - 30x30mm base plate
475 - 4.75mm pin diameter
12 - pin length in mm




Zinc plated Mild Steel male plain pin on a 38x15mm rectangular base plate

EXAMPLE OF PART NUMBER

MS - mild steel
M4 - male plain pin
B - blind perforated base plate
3815 - 38x15mm base plate
475 - 4.75mm pin diameter
12 - pin length in mm

| part number | fastener size |
|----------------|---------------|
| MSM4B381547512 | 4.75x12 |
| MSM4B381547516 | 4.75x16 |
| MSM4B381547520 | 4.75x20 |
| MSM4B381547525 | 4.75x25 |
| MSM4B381547530 | 4.75x30 |

| part number | fastener size |
|----------------|---------------|
| MSM4B381547540 | 4.75x40 |
| MSM4B381547550 | 4.75x50 |
| MSM4B381547560 | 4.75x60 |
| MSM4B381547575 | 4.75x75 |



Zinc plated Mild Steel male plain pin on a 38mm diameter base plate

EXAMPLE OF PART NUMBER


MS - mild steel
M4 - male plain pin
B - blind perforated base plate
38 - 38mm base plate
475 - 4.75mm pin diameter
12 - pin length in mm

| part number | fastener size |
|--------------|---------------|
| MSM4B3847512 | 4.75x12 |
| MSM4B3847516 | 4.75x16 |
| MSM4B3847520 | 4.75x20 |
| MSM4B3847525 | 4.75x25 |
| MSM4B3847530 | 4.75x30 |

| part number | fastener size |
|--------------|---------------|
| MSM4B3847540 | 4.75x40 |
| MSM4B3847550 | 4.75x50 |
| MSM4B3847560 | 4.75x60 |
| MSM4B3847575 | 4.75x75 |

MILD STEEL PLAIN PIN AND SPRING CLIP

Spring Clip




Encapsulated Spring Clip



| part number | description |
|-------------|-------------|
| S3 | spring clip |

| part number | description |
|-------------|-------------------------|
| S3E | plastic encapsulated S3 |

Spring Clips (to suit a 4.75mm diameter pin)



Zinc plated Mild Steel hexagonal nut on a sighted 19mm diameter base plate




| part number | fastener size |
|-------------|---------------|
| MSF1S19M3 | M3 Hex Nut |
| MSF1S19M4 | M4 Hex Nut |
| MSF1S19M5 | M5 Hex Nut |

Zinc plated Mild Steel hexagonal nut on a sighted 23mm diameter base plate




| part number | fastener size |
|-------------|---------------|
| MSF1S23M3 | M3 Hex Nut |
| MSF1S23M4 | M4 Hex Nut |
| MSF1S23M5 | M5 Hex Nut |

Zinc plated Mild Steel hexagonal nut on a sighted 30x30mm square base plate



| part number | fastener size |
|-------------|---------------|
| MSF1S3030M4 | M4 Hex Nut |
| MSF1S3030M5 | M5 Hex Nut |
| MSF1S3030M6 | M6 Hex Nut |

Zinc plated Mild Steel hexagonal nut on a sighted 30x15mm rectangular base plate




| part number | fastener size |
|-------------|---------------|
| MSF1S3815M3 | M3 Hex Nut |
| MSF1S3815M4 | M4 Hex Nut |
| MSF1S3815M5 | M5 Hex Nut |

Zinc plated Mild Steel hexagonal nut on a sighted 38mm diameter base plate



| part number | fastener size |
|-------------|---------------|
| MSF1S38M4 | M4 Hex Nut |
| MSF1S38M5 | M5 Hex Nut |
| MSF1S38M6 | M6 Hex Nut |

Zinc plated Mild Steel hexagonal nut on a sighted 50mm diameter base plate



| part number | fastener size |
|-------------|---------------|
| MSF1S50M5 | M5 Hex Nut |
| MSF1S50M6 | M6 Hex Nut |
| MSF1S50M8 | M8 Hex Nut |

EXAMPLE OF PART NUMBER

- MS** - mild steel
- F1** - hexagonal nut
- S** - sighted perforated base plate (with central thru-hole)
- 19** - 19mm base plate
- M3** - 3mm internal thread diameter

| part number | fastener size |
|-------------|---------------|
| MSF1S19M6 | M6 Hex Nut |
| MSF1S19M8 | M8 Hex Nut |

| part number | fastener size |
|-------------|---------------|
| MSF1S23M6 | M6 Hex Nut |
| MSF1S23M8 | M8 Hex Nut |
| MSF1S23M10 | M10 Hex Nut |

| part number | fastener size |
|--------------|---------------|
| MSF1S3030M8 | M8 Hex Nut |
| MSF1S3030M10 | M10 Hex Nut |
| MSF1S3030M12 | M12 Hex Nut |

| part number | fastener size |
|--------------|---------------|
| MSF1S3815M6 | M6 Hex Nut |
| MSF1S3815M8 | M8 Hex Nut |
| MSF1S3815M10 | M10 Hex Nut |

| part number | fastener size |
|-------------|---------------|
| MSF1S38M8 | M8 Hex Nut |
| MSF1S38M10 | M10 Hex Nut |
| MSF1S38M12 | M12 Hex Nut |

| part number | fastener size |
|-------------|---------------|
| MSF1S50M10 | M10 Hex Nut |
| MSF1S50M12 | M12 Hex Nut |



**Zinc plated Mild Steel
hexagonal nut on a blind
19mm diameter base plate**




| part number | fastener size |
|-------------|---------------|
| MSF1B19M3 | M3 Hex Nut |
| MSF1B19M4 | M4 Hex Nut |
| MSF1B19M5 | M5 Hex Nut |

**Zinc plated Mild Steel
hexagonal nut on a blind
23mm diameter base plate**




| part number | fastener size |
|-------------|---------------|
| MSF1B23M3 | M3 Hex Nut |
| MSF1B23M4 | M4 Hex Nut |
| MSF1B23M5 | M5 Hex Nut |

**Zinc plated Mild Steel
hexagonal nut on a blind
30x30mm square base plate**



| part number | fastener size |
|-------------|---------------|
| MSF1B3030M4 | M4 Hex Nut |
| MSF1B3030M5 | M5 Hex Nut |
| MSF1B3030M6 | M6 Hex Nut |

**Zinc plated Mild Steel
hexagonal nut on a blind
30x15mm rectangular
base plate**



| part number | fastener size |
|-------------|---------------|
| MSF1B3815M3 | M3 Hex Nut |
| MSF1B3815M4 | M4 Hex Nut |
| MSF1B3815M5 | M5 Hex Nut |

**Zinc plated Mild Steel
hexagonal nut on a blind
38mm diameter base plate**



| part number | fastener size |
|-------------|---------------|
| MSF1B38M4 | M4 Hex Nut |
| MSF1B38M5 | M5 Hex Nut |
| MSF1B38M6 | M6 Hex Nut |

**Zinc plated Mild Steel
hexagonal nut on a blind
50mm diameter base plate**



| part number | fastener size |
|-------------|---------------|
| MSF1B50M5 | M5 Hex Nut |
| MSF1B50M6 | M6 Hex Nut |
| MSF1B50M8 | M8 Hex Nut |

EXAMPLE OF PART NUMBER

MS - mild steel
F1 - hexagonal nut
B - blind perforated base plate
 (no central thru-hole)
19 - 19mm base plate
M3 - 3mm internal thread diameter

| part number | fastener size |
|-------------|---------------|
| MSF1B19M6 | M6 Hex Nut |
| MSF1B19M8 | M8 Hex Nut |

| part number | fastener size |
|-------------|---------------|
| MSF1B23M6 | M6 Hex Nut |
| MSF1B23M8 | M8 Hex Nut |
| MSF1B23M10 | M10 Hex Nut |

| part number | fastener size |
|--------------|---------------|
| MSF1B3030M8 | M8 Hex Nut |
| MSF1B3030M10 | M10 Hex Nut |
| MSF1B3030M12 | M12 Hex Nut |


| part number | fastener size |
|--------------|---------------|
| MSF1B3815M6 | M6 Hex Nut |
| MSF1B3815M8 | M8 Hex Nut |
| MSF1B3815M10 | M10 Hex Nut |

| part number | fastener size |
|-------------|---------------|
| MSF1B38M8 | M8 Hex Nut |
| MSF1B38M10 | M10 Hex Nut |
| MSF1B38M12 | M12 Hex Nut |

| part number | fastener size |
|-------------|---------------|
| MSF1B50M10 | M10 Hex Nut |
| MSF1B50M12 | M12 Hex Nut |



Zinc plated Mild Steel female threaded insert on a sighted 19mm diameter base plate




EXAMPLE OF PART NUMBER

MS - mild steel
F2 - female threaded bush
S - sighted perforated base plate (with central thru-hole)
19 - 19mm base plate
M4 - 4mm internal thread diameter
5 - length of thread in mm

| part number | fastener size |
|-------------|---------------|
| MSF2S19M45 | M4x5 |
| MSF2S19M410 | M4x10 |
| MSF2S19M412 | M4x12 |
| MSF2S19M414 | M4x14 |
| MSF2S19M416 | M4x16 |
| MSF2S19M422 | M4x22 |
| MSF2S19M55 | M5x5 |
| MSF2S19M510 | M5x10 |
| MSF2S19M512 | M5x12 |

| part number | fastener size |
|-------------|---------------|
| MSF2S19M514 | M5x14 |
| MSF2S19M516 | M5x16 |
| MSF2S19M522 | M5x22 |
| MSF2S19M65 | M6x5 |
| MSF2S19M610 | M6x10 |
| MSF2S19M612 | M6x12 |
| MSF2S19M614 | M6x14 |
| MSF2S19M616 | M6x16 |
| MSF2S19M622 | M6x22 |

| part number | fastener size |
|-------------|---------------|
| MSF2S19M85 | M8x5 |
| MSF2S19M810 | M8x10 |
| MSF2S19M812 | M8x12 |
| MSF2S19M814 | M8x14 |
| MSF2S19M816 | M8x16 |
| MSF2S19M822 | M8x22 |




Zinc plated Mild Steel female threaded insert on a sighted 23mm diameter base plate

| part number | fastener size |
|-------------|---------------|
| MSF2S23M45 | M4x5 |
| MSF2S23M410 | M4x10 |
| MSF2S23M412 | M4x12 |
| MSF2S23M414 | M4x14 |
| MSF2S23M416 | M4x16 |
| MSF2S23M422 | M4x22 |
| MSF2S23M55 | M5x5 |
| MSF2S23M510 | M5x10 |
| MSF2S23M512 | M5x12 |
| MSF2S23M514 | M5x14 |
| MSF2S23M516 | M5x16 |

| part number | fastener size |
|-------------|---------------|
| MSF2S23M522 | M5x22 |
| MSF2S23M65 | M6x5 |
| MSF2S23M610 | M6x10 |
| MSF2S23M612 | M6x12 |
| MSF2S23M614 | M6x14 |
| MSF2S23M616 | M6x16 |
| MSF2S23M622 | M6x22 |
| MSF2S23M85 | M8x5 |
| MSF2S23M810 | M8x10 |
| MSF2S23M812 | M8x12 |
| MSF2S23M814 | M8x14 |

| part number | fastener size |
|--------------|---------------|
| MSF2S23M816 | M8x16 |
| MSF2S23M822 | M8x22 |
| MSF2S23M105 | M10x5 |
| MSF2S23M1010 | M10x10 |
| MSF2S23M1012 | M10x12 |
| MSF2S23M1014 | M10x14 |
| MSF2S23M1016 | M10x16 |
| MSF2S23M1022 | M10x22 |




Zinc plated Mild Steel female threaded insert on a sighted 30x30mm square base plate


| part number | fastener size |
|---------------|---------------|
| MSF2S3030M45 | M4x5 |
| MSF2S3030M410 | M4x10 |
| MSF2S3030M412 | M4x12 |
| MSF2S3030M414 | M4x14 |
| MSF2S3030M416 | M4x16 |
| MSF2S3030M422 | M4x22 |
| MSF2S3030M55 | M5x5 |
| MSF2S3030M510 | M5x10 |
| MSF2S3030M512 | M5x12 |
| MSF2S3030M514 | M5x14 |
| MSF2S3030M516 | M5x16 |

| part number | fastener size |
|---------------|---------------|
| MSF2S3030M522 | M5x22 |
| MSF2S3030M65 | M6x5 |
| MSF2S3030M610 | M6x10 |
| MSF2S3030M612 | M6x12 |
| MSF2S3030M614 | M6x14 |
| MSF2S3030M616 | M6x16 |
| MSF2S3030M622 | M6x22 |
| MSF2S3030M85 | M8x5 |
| MSF2S3030M810 | M8x10 |
| MSF2S3030M812 | M8x12 |
| MSF2S3030M814 | M8x14 |

| part number | fastener size |
|----------------|---------------|
| MSF2S3030M816 | M8x16 |
| MSF2S3030M822 | M8x22 |
| MSF2S3030M105 | M10x5 |
| MSF2S3030M1010 | M10x10 |
| MSF2S3030M1012 | M10x12 |
| MSF2S3030M1014 | M10x14 |
| MSF2S3030M1016 | M10x16 |
| MSF2S3030M1022 | M10x22 |



Zinc plated Mild Steel female threaded insert on a sighted 38mm diameter base plate




EXAMPLE OF PART NUMBER

MS - mild steel
F2 - female threaded bush
S - sighted perforated base plate (with central thru-hole)
38 - 38mm base plate
M4 - 4mm internal thread diameter
5 - length of thread in mm

| part number | fastener size |
|-------------|---------------|
| MSF2S38M45 | M4x5 |
| MSF2S38M410 | M4x10 |
| MSF2S38M412 | M4x12 |
| MSF2S38M414 | M4x14 |
| MSF2S38M416 | M4x16 |
| MSF2S38M422 | M4x22 |
| MSF2S38M55 | M5x5 |
| MSF2S38M510 | M5x10 |
| MSF2S38M512 | M5x12 |
| MSF2S38M514 | M5x14 |
| MSF2S38M516 | M5x16 |

| part number | fastener size |
|-------------|---------------|
| MSF2S38M522 | M5x22 |
| MSF2S38M65 | M6x5 |
| MSF2S38M610 | M6x10 |
| MSF2S38M612 | M6x12 |
| MSF2S38M614 | M6x14 |
| MSF2S38M616 | M6x16 |
| MSF2S38M622 | M6x22 |
| MSF2S38M85 | M8x5 |
| MSF2S38M810 | M8x10 |
| MSF2S38M812 | M8x12 |
| MSF2S38M814 | M8x14 |

| part number | fastener size |
|--------------|---------------|
| MSF2S38M816 | M8x16 |
| MSF2S38M822 | M8x22 |
| MSF2S38M105 | M10x5 |
| MSF2S38M1010 | M10x10 |
| MSF2S38M1012 | M10x12 |
| MSF2S38M1014 | M10x14 |
| MSF2S38M1016 | M10x16 |
| MSF2S38M1022 | M10x22 |




Zinc plated Mild Steel female threaded insert on a sighted 38x15mm rectangular base plate

| part number | fastener size |
|---------------|---------------|
| MSF2S3815M45 | M4x5 |
| MSF2S3815M410 | M4x10 |
| MSF2S3815M412 | M4x12 |
| MSF2S3815M414 | M4x14 |
| MSF2S3815M416 | M4x16 |
| MSF2S3815M422 | M4x22 |
| MSF2S3815M55 | M5x5 |
| MSF2S3815M510 | M5x10 |
| MSF2S3815M512 | M5x12 |
| MSF2S3815M514 | M5x14 |
| MSF2S3815M516 | M5x16 |

| part number | fastener size |
|---------------|---------------|
| MSF2S3815M522 | M5x22 |
| MSF2S3815M65 | M6x5 |
| MSF2S3815M610 | M6x10 |
| MSF2S3815M612 | M6x12 |
| MSF2S3815M614 | M6x14 |
| MSF2S3815M616 | M6x16 |
| MSF2S3815M622 | M6x22 |
| MSF2S3815M85 | M8x5 |
| MSF2S3815M810 | M8x10 |
| MSF2S3815M812 | M8x12 |
| MSF2S3815M814 | M8x14 |

| part number | fastener size |
|----------------|---------------|
| MSF2S3815M816 | M8x16 |
| MSF2S3815M822 | M8x22 |
| MSF2S3815M105 | M10x5 |
| MSF2S3815M1010 | M10x10 |
| MSF2S3815M1012 | M10x12 |
| MSF2S3815M1014 | M10x14 |
| MSF2S3815M1016 | M10x16 |
| MSF2S3815M1022 | M10x22 |




Zinc plated Mild Steel female threaded insert on a sighted 50mm diameter base plate

| part number | fastener size |
|-------------|---------------|
| MSF2S50M610 | M6x10 |
| MSF2S50M615 | M6x15 |
| MSF2S50M620 | M6x20 |

| part number | fastener size |
|-------------|---------------|
| MSF2S50M810 | M8x10 |
| MSF2S50M815 | M8x15 |
| MSF2S50M820 | M8x20 |

| part number | fastener size |
|--------------|---------------|
| MSF2S50M1010 | M10x10 |
| MSF2S50M1015 | M10x15 |
| MSF2S50M1020 | M10x20 |

MILD STEEL THREADED BUSH (SIGHTED)



Zinc plated Mild Steel female threaded insert on a blind 19mm diameter base plate




EXAMPLE OF PART NUMBER

MS - mild steel
F2 - female threaded bush
B - blind perforated base plate (no central thru-hole)
19 - 19mm base plate
M4 - 4mm internal thread diameter
5 - length of thread in mm

| part number | fastener size |
|-------------|---------------|
| MSF2B19M45 | M4x5 |
| MSF2B19M410 | M4x10 |
| MSF2B19M412 | M4x12 |
| MSF2B19M414 | M4x14 |
| MSF2B19M416 | M4x16 |
| MSF2B19M422 | M4x22 |
| MSF2B19M55 | M5x5 |
| MSF2B19M510 | M5x10 |

| part number | fastener size |
|-------------|---------------|
| MSF2B19M512 | M5x12 |
| MSF2B19M514 | M5x14 |
| MSF2B19M516 | M5x16 |
| MSF2B19M522 | M5x22 |
| MSF2B19M65 | M6x5 |
| MSF2B19M610 | M6x10 |
| MSF2B19M612 | M6x12 |
| MSF2B19M614 | M6x14 |

| part number | fastener size |
|-------------|---------------|
| MSF2B19M616 | M6x16 |
| MSF2B19M622 | M6x22 |
| MSF2B19M85 | M8x5 |
| MSF2B19M810 | M8x10 |
| MSF2B19M812 | M8x12 |
| MSF2B19M814 | M8x14 |
| MSF2B19M816 | M8x16 |
| MSF2B19M822 | M8x22 |




Zinc plated Mild Steel female threaded insert on a blind 23mm diameter base plate

| part number | fastener size |
|-------------|---------------|
| MSF2B23M45 | M4x5 |
| MSF2B23M410 | M4x10 |
| MSF2B23M412 | M4x12 |
| MSF2B23M414 | M4x14 |
| MSF2B23M416 | M4x16 |
| MSF2B23M422 | M4x22 |
| MSF2B23M55 | M5x5 |
| MSF2B23M510 | M5x10 |
| MSF2B23M512 | M5x12 |
| MSF2B23M514 | M5x14 |

| part number | fastener size |
|-------------|---------------|
| MSF2B23M516 | M5x16 |
| MSF2B23M522 | M5x22 |
| MSF2B23M65 | M6x5 |
| MSF2B23M610 | M6x10 |
| MSF2B23M612 | M6x12 |
| MSF2B23M614 | M6x14 |
| MSF2B23M616 | M6x16 |
| MSF2B23M622 | M6x22 |
| MSF2B23M85 | M8x5 |
| MSF2B23M810 | M8x10 |

| part number | fastener size |
|--------------|---------------|
| MSF2B23M812 | M8x12 |
| MSF2B23M814 | M8x14 |
| MSF2B23M816 | M8x16 |
| MSF2B23M822 | M8x22 |
| MSF2B23M105 | M10x5 |
| MSF2B23M1010 | M10x10 |
| MSF2B23M1012 | M10x12 |
| MSF2B23M1014 | M10x14 |
| MSF2B23M1016 | M10x16 |
| MSF2B23M1022 | M10x22 |




Zinc plated Mild Steel female threaded insert on a blind 30x30mm square base plate

| part number | fastener size |
|---------------|---------------|
| MSF2B3030M45 | M4x5 |
| MSF2B3030M410 | M4x10 |
| MSF2B3030M412 | M4x12 |
| MSF2B3030M414 | M4x14 |
| MSF2B3030M416 | M4x16 |
| MSF2B3030M422 | M4x22 |
| MSF2B3030M55 | M5x5 |
| MSF2B3030M510 | M5x10 |
| MSF2B3030M512 | M5x12 |
| MSF2B3030M514 | M5x14 |

| part number | fastener size |
|---------------|---------------|
| MSF2B3030M516 | M5x16 |
| MSF2B3030M522 | M5x22 |
| MSF2B3030M65 | M6x5 |
| MSF2B3030M610 | M6x10 |
| MSF2B3030M612 | M6x12 |
| MSF2B3030M614 | M6x14 |
| MSF2B3030M616 | M6x16 |
| MSF2B3030M622 | M6x22 |
| MSF2B3030M85 | M8x5 |
| MSF2B3030M810 | M8x10 |

| part number | fastener size |
|----------------|---------------|
| MSF2B3030M812 | M8x12 |
| MSF2B3030M814 | M8x14 |
| MSF2B3030M816 | M8x16 |
| MSF2B3030M822 | M8x22 |
| MSF2B3030M105 | M10x5 |
| MSF2B3030M1010 | M10x10 |
| MSF2B3030M1012 | M10x12 |
| MSF2B3030M1014 | M10x14 |
| MSF2B3030M1016 | M10x16 |
| MSF2B3030M1022 | M10x22 |



Zinc plated Mild Steel female threaded insert on a blind 38mm diameter base plate




EXAMPLE OF PART NUMBER

MS - mild steel
F2 - female threaded bush
B - blind perforated base plate (no central thru-hole)
38 - 38X15mm base plate
M4 - 4mm internal thread diameter
5 - length of thread in mm

| part number | fastener size |
|-------------|---------------|
| MSF2B38M45 | M4x5 |
| MSF2B38M410 | M4x10 |
| MSF2B38M412 | M4x12 |
| MSF2B38M414 | M4x14 |
| MSF2B38M416 | M4x16 |
| MSF2B38M422 | M4x22 |
| MSF2B38M55 | M5x5 |
| MSF2B38M510 | M5x10 |
| MSF2B38M512 | M5x12 |
| MSF2B38M514 | M5x14 |

| part number | fastener size |
|-------------|---------------|
| MSF2B38M516 | M5x16 |
| MSF2B38M522 | M5x22 |
| MSF2B38M65 | M6x5 |
| MSF2B38M610 | M6x10 |
| MSF2B38M612 | M6x12 |
| MSF2B38M614 | M6x14 |
| MSF2B38M616 | M6x16 |
| MSF2B38M622 | M6x22 |
| MSF2B38M85 | M8x5 |
| MSF2B38M810 | M8x10 |

| part number | fastener size |
|--------------|---------------|
| MSF2B38M812 | M8x12 |
| MSF2B38M814 | M8x14 |
| MSF2B38M816 | M8x16 |
| MSF2B38M822 | M8x22 |
| MSF2B38M105 | M10x5 |
| MSF2B38M1010 | M10x10 |
| MSF2B38M1012 | M10x12 |
| MSF2B38M1014 | M10x14 |
| MSF2B38M1016 | M10x16 |
| MSF2B38M1022 | M10x22 |




Zinc plated Mild Steel female threaded insert on a blind 38x15mm rectangular base plate

| part number | fastener size |
|---------------|---------------|
| MSF2B3815M45 | M4x5 |
| MSF2B3815M410 | M4x10 |
| MSF2B3815M412 | M4x12 |
| MSF2B3815M414 | M4x14 |
| MSF2B3815M416 | M4x16 |
| MSF2B3815M422 | M4x22 |
| MSF2B3815M55 | M5x5 |
| MSF2B3815M510 | M5x10 |
| MSF2B3815M512 | M5x12 |
| MSF2B3815M514 | M5x14 |

| part number | fastener size |
|---------------|---------------|
| MSF2B3815M516 | M5x16 |
| MSF2B3815M522 | M5x22 |
| MSF2B3815M65 | M6x5 |
| MSF2B3815M610 | M6x10 |
| MSF2B3815M612 | M6x12 |
| MSF2B3815M614 | M6x14 |
| MSF2B3815M616 | M6x16 |
| MSF2B3815M622 | M6x22 |
| MSF2B3815M85 | M8x5 |
| MSF2B3815M810 | M8x10 |

| part number | fastener size |
|----------------|---------------|
| MSF2B3815M812 | M8x12 |
| MSF2B3815M814 | M8x14 |
| MSF2B3815M816 | M8x16 |
| MSF2B3815M822 | M8x22 |
| MSF2B3815M105 | M10x5 |
| MSF2B3815M1010 | M10x10 |
| MSF2B3815M1012 | M10x12 |
| MSF2B3815M1014 | M10x14 |
| MSF2B3815M1016 | M10x16 |
| MSF2B3815M1022 | M10x22 |



Zinc plated Mild Steel female threaded insert on a blind 50mm diameter base plate

| part number | fastener size |
|-------------|---------------|
| MSF2B50M610 | M6x10 |
| MSF2B50M615 | M6x15 |
| MSF2B50M620 | M6x20 |

| part number | fastener size |
|-------------|---------------|
| MSF2B50M810 | M8x10 |
| MSF2B50M815 | M8x15 |
| MSF2B50M820 | M8x20 |

| part number | fastener size |
|--------------|---------------|
| MSF2B50M1010 | M10x10 |
| MSF2B50M1015 | M10x15 |
| MSF2B50M1020 | M10x20 |

MILD STEEL THREADED BUSH (BLIND)



316 Stainless Steel male threaded stud on a 15x15mm square base plate

EXAMPLE OF PART NUMBER

- SS** - stainless steel
- M1** - male threaded stud
- B** - blind perforated base plate
- 1515** - 15x15mm base plate
- M4** - metric thread diameter
- 12** - length of thread in mm

| part number | fastener size | part number | fastener size | part number | fastener size |
|---------------|---------------|---------------|---------------|---------------|---------------|
| SSM1B1515M412 | M4x12 | SSM1B1515M520 | M5x20 | SSM1B1515M620 | M6x20 |
| SSM1B1515M416 | M4x16 | SSM1B1515M525 | M5x25 | SSM1B1515M625 | M6x25 |
| SSM1B1515M420 | M4x20 | SSM1B1515M530 | M5x30 | SSM1B1515M630 | M6x30 |
| SSM1B1515M425 | M4x25 | SSM1B1515M540 | M5x40 | SSM1B1515M640 | M6x40 |
| SSM1B1515M430 | M4x30 | SSM1B1515M550 | M5x50 | SSM1B1515M650 | M6x50 |
| SSM1B1515M440 | M4x40 | SSM1B1515M560 | M5x60 | SSM1B1515M660 | M6x60 |
| SSM1B1515M450 | M4x50 | SSM1B1515M575 | M5x75 | SSM1B1515M675 | M6x75 |
| SSM1B1515M512 | M5x12 | SSM1B1515M612 | M6x12 | | |
| SSM1B1515M516 | M5x16 | SSM1B1515M616 | M6x16 | | |



316 Stainless Steel male threaded stud on a 19mm diameter base plate

EXAMPLE OF PART NUMBER

- SS** - stainless steel
- M1** - male threaded stud
- B** - blind perforated base plate
- 19** - 19mm base plate
- M4** - metric thread diameter
- 12** - length of thread in mm

| part number | fastener size | part number | fastener size | part number | fastener size |
|-------------|---------------|-------------|---------------|--------------|---------------|
| SSM1B19M412 | M4x12 | SSM1B19M560 | M5x60 | SSM1B19M840 | M8x40 |
| SSM1B19M416 | M4x16 | SSM1B19M575 | M5x75 | SSM1B19M850 | M8x50 |
| SSM1B19M420 | M4x20 | SSM1B19M612 | M6x12 | SSM1B19M860 | M8x60 |
| SSM1B19M425 | M4x25 | SSM1B19M616 | M6x16 | SSM1B19M875 | M8x75 |
| SSM1B19M430 | M4x30 | SSM1B19M620 | M6x20 | SSM1B19M1012 | M10x12 |
| SSM1B19M440 | M4x40 | SSM1B19M625 | M6x25 | SSM1B19M1016 | M10x16 |
| SSM1B19M450 | M4x50 | SSM1B19M630 | M6x30 | SSM1B19M1020 | M10x20 |
| SSM1B19M460 | M4x60 | SSM1B19M640 | M6x40 | SSM1B19M1025 | M10x25 |
| SSM1B19M475 | M4x75 | SSM1B19M650 | M6x50 | SSM1B19M1030 | M10x30 |
| SSM1B19M512 | M5x12 | SSM1B19M660 | M6x60 | SSM1B19M1040 | M10x40 |
| SSM1B19M516 | M5x16 | SSM1B19M675 | M6x75 | SSM1B19M1050 | M10x50 |
| SSM1B19M520 | M5x20 | SSM1B19M812 | M8x12 | SSM1B19M1060 | M10x60 |
| SSM1B19M525 | M5x25 | SSM1B19M816 | M8x16 | SSM1B19M1075 | M10x75 |
| SSM1B19M530 | M5x30 | SSM1B19M820 | M8x20 | | |
| SSM1B19M540 | M5x40 | SSM1B19M825 | M8x25 | | |
| SSM1B19M550 | M5x50 | SSM1B19M830 | M8x30 | | |





316 Stainless Steel male threaded stud on a 23mm diameter base plate

EXAMPLE OF PART NUMBER

SS - stainless steel
M1 - male threaded stud
B - blind perforated base plate
23 - 23mm base plate
M4 - metric thread diameter
12 - length of thread in mm

| part number | fastener size |
|-------------|---------------|
| SSM1B23M412 | M4x12 |
| SSM1B23M416 | M4x16 |
| SSM1B23M420 | M4x20 |
| SSM1B23M425 | M4x25 |
| SSM1B23M430 | M4x30 |
| SSM1B23M440 | M4x40 |
| SSM1B23M450 | M4x50 |
| SSM1B23M460 | M4x60 |
| SSM1B23M475 | M4x75 |
| SSM1B23M512 | M5x12 |
| SSM1B23M516 | M5x16 |
| SSM1B23M520 | M5x20 |
| SSM1B23M525 | M5x25 |
| SSM1B23M530 | M5x30 |
| SSM1B23M540 | M5x40 |

| part number | fastener size |
|-------------|---------------|
| SSM1B23M550 | M5x50 |
| SSM1B23M560 | M5x60 |
| SSM1B23M575 | M5x75 |
| SSM1B23M612 | M6x12 |
| SSM1B23M616 | M6x16 |
| SSM1B23M620 | M6x20 |
| SSM1B23M625 | M6x25 |
| SSM1B23M630 | M6x30 |
| SSM1B23M640 | M6x40 |
| SSM1B23M650 | M6x50 |
| SSM1B23M660 | M6x60 |
| SSM1B23M675 | M6x75 |
| SSM1B23M812 | M8x12 |
| SSM1B23M816 | M8x16 |
| SSM1B23M820 | M8x20 |

| part number | fastener size |
|--------------|---------------|
| SSM1B23M825 | M8x25 |
| SSM1B23M830 | M8x30 |
| SSM1B23M840 | M8x40 |
| SSM1B23M850 | M8x50 |
| SSM1B23M860 | M8x60 |
| SSM1B23M875 | M8x75 |
| SSM1B23M1012 | M10x12 |
| SSM1B23M1016 | M10x16 |
| SSM1B23M1020 | M10x20 |
| SSM1B23M1025 | M10x25 |
| SSM1B23M1030 | M10x30 |
| SSM1B23M1040 | M10x40 |
| SSM1B23M1050 | M10x50 |
| SSM1B23M1060 | M10x60 |
| SSM1B23M1075 | M10x75 |



316 Stainless Steel male threaded stud on a 30x30mm square base plate

EXAMPLE OF PART NUMBER

SS - stainless steel
M1 - male threaded stud
B - blind perforated base plate
3030 - 30x30mm base plate
M4 - metric thread diameter
12 - length of thread in mm

| part number | fastener size |
|---------------|---------------|
| SSM1B3030M412 | M4x12 |
| SSM1B3030M416 | M4x16 |
| SSM1B3030M420 | M4x20 |
| SSM1B3030M425 | M4x25 |
| SSM1B3030M430 | M4x30 |
| SSM1B3030M440 | M4x40 |
| SSM1B3030M450 | M4x50 |
| SSM1B3030M460 | M4x60 |
| SSM1B3030M475 | M4x75 |
| SSM1B3030M512 | M5x12 |
| SSM1B3030M516 | M5x16 |
| SSM1B3030M520 | M5x20 |
| SSM1B3030M525 | M5x25 |
| SSM1B3030M530 | M5x30 |
| SSM1B3030M540 | M5x40 |

| part number | fastener size |
|---------------|---------------|
| SSM1B3030M550 | M5x50 |
| SSM1B3030M560 | M5x60 |
| SSM1B3030M575 | M5x75 |
| SSM1B3030M612 | M6x12 |
| SSM1B3030M616 | M6x16 |
| SSM1B3030M620 | M6x20 |
| SSM1B3030M625 | M6x25 |
| SSM1B3030M630 | M6x30 |
| SSM1B3030M640 | M6x40 |
| SSM1B3030M650 | M6x50 |
| SSM1B3030M660 | M6x60 |
| SSM1B3030M675 | M6x75 |
| SSM1B3030M812 | M8x12 |
| SSM1B3030M816 | M8x16 |
| SSM1B3030M820 | M8x20 |

| part number | fastener size |
|----------------|---------------|
| SSM1B3030M825 | M8x25 |
| SSM1B3030M830 | M8x30 |
| SSM1B3030M840 | M8x40 |
| SSM1B3030M850 | M8x50 |
| SSM1B3030M860 | M8x60 |
| SSM1B3030M875 | M8x75 |
| SSM1B3030M1012 | M10x12 |
| SSM1B3030M1016 | M10x16 |
| SSM1B3030M1020 | M10x20 |
| SSM1B3030M1025 | M10x25 |
| SSM1B3030M1030 | M10x30 |
| SSM1B3030M1040 | M10x40 |
| SSM1B3030M1050 | M10x50 |
| SSM1B3030M1060 | M10x60 |
| SSM1B3030M1075 | M10x75 |



316 Stainless Steel male threaded stud on a 38x15mm rectangular base plate

EXAMPLE OF PART NUMBER

SS - stainless steel
M1 - male threaded stud
B - blind perforated base plate
3815 - 38x15mm base plate
M4 - metric thread diameter
12 - length of thread in mm

| part number | fastener size |
|---------------|---------------|
| SSM1B3815M412 | M4x12 |
| SSM1B3815M416 | M4x16 |
| SSM1B3815M420 | M4x20 |
| SSM1B3815M425 | M4x25 |
| SSM1B3815M430 | M4x30 |
| SSM1B3815M440 | M4x40 |
| SSM1B3815M450 | M4x50 |
| SSM1B3815M460 | M4x60 |
| SSM1B3815M475 | M4x75 |
| SSM1B3815M512 | M5x12 |
| SSM1B3815M516 | M5x16 |
| SSM1B3815M520 | M5x20 |
| SSM1B3815M525 | M5x25 |
| SSM1B3815M530 | M5x30 |
| SSM1B3815M540 | M5x40 |

| part number | fastener size |
|---------------|---------------|
| SSM1B3815M550 | M5x50 |
| SSM1B3815M560 | M5x60 |
| SSM1B3815M575 | M5x75 |
| SSM1B3815M612 | M6x12 |
| SSM1B3815M616 | M6x16 |
| SSM1B3815M620 | M6x20 |
| SSM1B3815M625 | M6x25 |
| SSM1B3815M630 | M6x30 |
| SSM1B3815M640 | M6x40 |
| SSM1B3815M650 | M6x50 |
| SSM1B3815M660 | M6x60 |
| SSM1B3815M675 | M6x75 |
| SSM1B3815M812 | M8x12 |
| SSM1B3815M816 | M8x16 |
| SSM1B3815M820 | M8x20 |

| part number | fastener size |
|----------------|---------------|
| SSM1B3815M825 | M8x25 |
| SSM1B3815M830 | M8x30 |
| SSM1B3815M840 | M8x40 |
| SSM1B3815M850 | M8x50 |
| SSM1B3815M860 | M8x60 |
| SSM1B3815M875 | M8x75 |
| SSM1B3815M1012 | M10x12 |
| SSM1B3815M1016 | M10x16 |
| SSM1B3815M1020 | M10x20 |
| SSM1B3815M1025 | M10x25 |
| SSM1B3815M1030 | M10x30 |
| SSM1B3815M1040 | M10x40 |
| SSM1B3815M1050 | M10x50 |
| SSM1B3815M1060 | M10x60 |
| SSM1B3815M1075 | M10x75 |



316 Stainless Steel male threaded stud on a 38mm diameter base plate


EXAMPLE OF PART NUMBER

SS - stainless steel
M1 - male threaded stud
B - blind perforated base plate
38 - 38mm base plate
M4 - metric thread diameter
12 - length of thread in mm

| part number | fastener size |
|-------------|---------------|
| SSM1B38M412 | M4x12 |
| SSM1B38M416 | M4x16 |
| SSM1B38M420 | M4x20 |
| SSM1B38M425 | M4x25 |
| SSM1B38M430 | M4x30 |
| SSM1B38M440 | M4x40 |
| SSM1B38M450 | M4x50 |
| SSM1B38M460 | M4x60 |
| SSM1B38M475 | M4x75 |
| SSM1B38M512 | M5x12 |
| SSM1B38M516 | M5x16 |
| SSM1B38M520 | M5x20 |
| SSM1B38M525 | M5x25 |
| SSM1B38M530 | M5x30 |
| SSM1B38M540 | M5x40 |

| part number | fastener size |
|-------------|---------------|
| SSM1B38M550 | M5x50 |
| SSM1B38M560 | M5x60 |
| SSM1B38M575 | M5x75 |
| SSM1B38M612 | M6x12 |
| SSM1B38M616 | M6x16 |
| SSM1B38M620 | M6x20 |
| SSM1B38M625 | M6x25 |
| SSM1B38M630 | M6x30 |
| SSM1B38M640 | M6x40 |
| SSM1B38M650 | M6x50 |
| SSM1B38M660 | M6x60 |
| SSM1B38M675 | M6x75 |
| SSM1B38M812 | M8x12 |
| SSM1B38M816 | M8x16 |
| SSM1B38M820 | M8x20 |

| part number | fastener size |
|--------------|---------------|
| SSM1B38M825 | M8x25 |
| SSM1B38M830 | M8x30 |
| SSM1B38M840 | M8x40 |
| SSM1B38M850 | M8x50 |
| SSM1B38M860 | M8x60 |
| SSM1B38M875 | M8x75 |
| SSM1B38M1012 | M10x12 |
| SSM1B38M1016 | M10x16 |
| SSM1B38M1020 | M10x20 |
| SSM1B38M1025 | M10x25 |
| SSM1B38M1030 | M10x30 |
| SSM1B38M1040 | M10x40 |
| SSM1B38M1050 | M10x50 |
| SSM1B38M1060 | M10x60 |
| SSM1B38M1075 | M10x75 |



316 Stainless Steel male threaded stud on a 50mm diameter base plate

EXAMPLE OF PART NUMBER

- SS** - stainless steel
- M1** - male threaded stud
- B** - blind perforated base plate
- 50** - 50mm base plate
- M4** - metric thread diameter
- 12** - length of thread in mm

| part number | fastener size |
|-------------|---------------|
| SSM1B50M615 | M6x15 |
| SSM1B50M620 | M6x20 |
| SSM1B50M625 | M6x25 |
| SSM1B50M630 | M6x30 |
| SSM1B50M640 | M6x40 |
| SSM1B50M650 | M6x50 |
| SSM1B50M660 | M6x60 |
| SSM1B50M675 | M6x75 |

| part number | fastener size |
|-------------|---------------|
| SSM1B50M815 | M8x15 |
| SSM1B50M820 | M8x20 |
| SSM1B50M825 | M8x25 |
| SSM1B50M830 | M8x30 |
| SSM1B50M840 | M8x40 |
| SSM1B50M850 | M8x50 |
| SSM1B50M860 | M8x60 |
| SSM1B50M875 | M8x75 |

| part number | fastener size |
|--------------|---------------|
| SSM1B50M1015 | M10x15 |
| SSM1B50M1020 | M10x20 |
| SSM1B50M1025 | M10x25 |
| SSM1B50M1030 | M10x30 |
| SSM1B50M1040 | M10x40 |
| SSM1B50M1050 | M10x50 |
| SSM1B50M1060 | M10x60 |
| SSM1B50M1075 | M10x75 |



MTP

| part number | fastener size |
|-------------|---------------|
| MTPM4X14 | M4x14 |
| MTPM5X25 | M5x25 |
| MTPM6x25 | M6x25 |
| MTPM6x50 | M6x50 |
| MTPM8X50 | M8x50 |

"Male thread protectors (closed end, tight fit)"

EXAMPLE OF PART NUMBER

- MTP** - male thread protector (tight fit) with closed end
- M5** - for use with a male thread of this diameter
- 25** - for use with a male thread of this length



MTPT

| part number | fastener size |
|-------------|---------------|
| MTPTM5x25 | M5x25 |
| MTPTM6x12 | M6x12 |
| MTPTM6x25 | M6x25 |
| MTPTM8X30 | M8x30 |

"Male thread protectors (closed end, easy fit)"

EXAMPLE OF PART NUMBER

- MTP** - male thread protector (easy fit) with closed end
- M6** - for use with a male thread of this diameter
- 12** - for use with a male thread of this length



MTPO

| part number | fastener size |
|-------------|---------------|
| MTPOM4x25 | M4x25 |
| MTPOM5x25 | M5x25 |
| MTPOM6X25 | M6x25 |
| MTPOM6X50 | M6x50 |
| MTPOM8x19 | M8x19 |
| MTPOM8X22 | M8x22 |
| MTPOM8x75 | M8x75 |
| MTPOM10x30 | M10x30 |
| MTPOM10x50 | M10x50 |
| MTPOM10x75 | M10x75 |

"Male thread protectors (open end, easy fit)"


EXAMPLE OF PART NUMBER

- MTP** - male thread protector (easy fit) with open end
- M4** - for use with a male thread of this diameter
- 25** - for use with a male thread of this length



316 Stainless Steel male pin on a 15x15mm square base plate

| part number | fastener size | part number | fastener size |
|----------------|---------------|----------------|---------------|
| SSM4B151547512 | 4.75x12 | SSM4B151547550 | 4.75x50 |
| SSM4B151547520 | 4.75x20 | SSM4B151547560 | 4.75x60 |
| SSM4B151547525 | 4.75x25 | SSM4B151547575 | 4.75x75 |
| SSM4B151547530 | 4.75x30 | | |
| SSM4B151547540 | 4.75x40 | | |



316 Stainless Steel male pin on a 19mm diameter base plate

| part number | fastener size | part number | fastener size |
|--------------|---------------|--------------|---------------|
| SSM4B1947512 | 4.75x12 | SSM4B1947550 | 4.75x50 |
| SSM4B1947520 | 4.75x20 | SSM4B1947560 | 4.75x60 |
| SSM4B1947525 | 4.75x25 | SSM4B1947575 | 4.75x75 |
| SSM4B1947530 | 4.75x30 | | |
| SSM4B1947540 | 4.75x40 | | |



316 Stainless Steel male pin on a 23mm diameter base plate

| part number | fastener size | part number | fastener size |
|--------------|---------------|--------------|---------------|
| SSM4B2347512 | 4.75x12 | SSM4B2347550 | 4.75x50 |
| SSM4B2347520 | 4.75x20 | SSM4B2347560 | 4.75x60 |
| SSM4B2347525 | 4.75x25 | SSM4B2347575 | 4.75x75 |
| SSM4B2347530 | 4.75x30 | | |
| SSM4B2347540 | 4.75x40 | | |



316 Stainless Steel male pin on a 30x30mm square base plate

| part number | fastener size | part number | fastener size |
|----------------|---------------|----------------|---------------|
| SSM4B303047512 | 4.75x12 | SSM4B303047550 | 4.75x50 |
| SSM4B303047520 | 4.75x20 | SSM4B303047560 | 4.75x60 |
| SSM4B303047525 | 4.75x25 | SSM4B303047575 | 4.75x75 |
| SSM4B303047530 | 4.75x30 | | |
| SSM4B303047540 | 4.75x40 | | |

EXAMPLE OF PART NUMBER

SS - stainless steel
M4 - male pin
B - blind perforated base plate
1515 - 15x15mm base plate
475 - 4.75mm pin diameter
12 - pin length in mm

EXAMPLE OF PART NUMBER

SS - stainless steel
M4 - male pin
B - blind perforated base plate
19 - 19mm base plate
475 - 4.75mm pin diameter
12 - pin length in mm

EXAMPLE OF PART NUMBER

SS - stainless steel
M4 - male pin
B - blind perforated base plate
23 - 23mm base plate
475 - 4.75mm pin diameter
12 - pin length in mm

EXAMPLE OF PART NUMBER

SS - stainless steel
M4 - male pin
B - blind perforated base plate
3030 - 30x30mm base plate
475 - 4.75mm pin diameter
12 - pin length in mm



316 Stainless Steel male pin on a 38x15mm rectangular base plate

EXAMPLE OF PART NUMBER

- SS** - stainless steel
- M4** - male pin
- B** - blind perforated base plate
- 3815** - 38x15mm base plate
- 475** - 4.75mm pin diameter
- 12** - pin length in mm

| part number | fastener size |
|----------------|---------------|
| SSM4B381547512 | 4.75x12 |
| SSM4B381547520 | 4.75x20 |
| SSM4B381547525 | 4.75x25 |
| SSM4B381547530 | 4.75x30 |
| SSM4B381547540 | 4.75x40 |

| part number | fastener size |
|----------------|---------------|
| SSM4B381547550 | 4.75x50 |
| SSM4B381547560 | 4.75x60 |
| SSM4B381547575 | 4.75x75 |



316 Stainless Steel male pin on a 38mm diameter base plate

EXAMPLE OF PART NUMBER

- SS** - stainless steel
- M4** - male pin
- B** - blind perforated base plate
- 38** - 38mm base plate
- 475** - 4.75mm pin diameter
- 12** - pin length in mm


| part number | fastener size |
|--------------|---------------|
| SSM4B3847512 | 4.75x12 |
| SSM4B3847520 | 4.75x20 |
| SSM4B3847525 | 4.75x25 |
| SSM4B3847530 | 4.75x30 |
| SSM4B3847540 | 4.75x40 |

| part number | fastener size |
|--------------|---------------|
| SSM4B3847550 | 4.75x50 |
| SSM4B3847560 | 4.75x60 |
| SSM4B3847575 | 4.75x75 |

Spring Clip

Encapsulated Spring Clip


All spring clips are to suit a 4.75mm diameter pin



| part number | description |
|-------------|-------------|
| S3 | spring clip |

| part number | description |
|-------------|-------------------------|
| S3E | plastic encapsulated S3 |

Spring Clips (to suit a 4.75mm diameter pin)



EXAMPLE OF PART NUMBER

SS - stainless steel
F1 - hexagonal nut
S - sighted perforated base plate (with central thru-hole)
19 - 19mm base plate
M3 - 3mm internal thread diameter

316 Stainless Steel hexagonal nut on a sighted 19mm diameter base plate



| part number | fastener size |
|-------------|---------------|
| SSF1S19M3 | M3 Hex Nut |
| SSF1S19M4 | M4 Hex Nut |
| SSF1S19M5 | M5 Hex Nut |

| part number | fastener size |
|-------------|---------------|
| SSF1S19M6 | M6 Hex Nut |
| SSF1S19M8 | M8 Hex Nut |


316 Stainless Steel hexagonal nut on a sighted 23mm diameter base plate



| part number | fastener size |
|-------------|---------------|
| SSF1S23M3 | M3 Hex Nut |
| SSF1S23M4 | M4 Hex Nut |
| SSF1S23M5 | M5 Hex Nut |

| part number | fastener size |
|-------------|---------------|
| SSF1S23M6 | M6 Hex Nut |
| SSF1S23M8 | M8 Hex Nut |
| SSF1S23M10 | M10 Hex Nut |

316 Stainless Steel hexagonal nut on a sighted 30x30mm square base plate



| part number | fastener size |
|-------------|---------------|
| SSF1S3030M4 | M4 Hex Nut |
| SSF1S3030M5 | M5 Hex Nut |
| SSF1S3030M6 | M6 Hex Nut |

| part number | fastener size |
|--------------|---------------|
| SSF1S3030M8 | M8 Hex Nut |
| SSF1S3030M10 | M10 Hex Nut |
| SSF1S3030M12 | M12 Hex Nut |


316 Stainless Steel hexagonal nut on a sighted 38x15mm rectangular base plate



| part number | fastener size |
|-------------|---------------|
| SSF1S3815M3 | M3 Hex Nut |
| SSF1S3815M4 | M4 Hex Nut |
| SSF1S3815M5 | M5 Hex Nut |

| part number | fastener size |
|--------------|---------------|
| SSF1S3815M6 | M6 Hex Nut |
| SSF1S3815M8 | M8 Hex Nut |
| SSF1S3815M10 | M10 Hex Nut |


316 Stainless Steel hexagonal nut on a sighted 38mm diameter base plate



| part number | fastener size |
|-------------|---------------|
| SSF1S38M4 | M4 Hex Nut |
| SSF1S38M5 | M5 Hex Nut |
| SSF1S38M6 | M6 Hex Nut |

| part number | fastener size |
|-------------|---------------|
| SSF1S38M8 | M8 Hex Nut |
| SSF1S38M10 | M10 Hex Nut |
| SSF1S38M12 | M12 Hex Nut |

316 Stainless Steel hexagonal nut on a sighted 50mm diameter base plate



| part number | fastener size |
|-------------|---------------|
| SSF1S50M5 | M5 Hex Nut |
| SSF1S50M6 | M6 Hex Nut |
| SSF1S50M8 | M8 Hex Nut |

| part number | fastener size |
|-------------|---------------|
| SSF1S50M10 | M10 Hex Nut |
| SSF1S50M12 | M12 Hex Nut |

EXAMPLE OF PART NUMBER

SS - stainless steel
F1 - hexagonal nut
B - blind perforated base plate
 (no central thru-hole)
19 - 19mm base plate
M3 - 3mm internal thread diameter



316 Stainless Steel hexagonal nut on a blind 19mm diameter base plate



| part number | fastener size |
|-------------|---------------|
| SSF1B19M3 | M3 Hex Nut |
| SSF1B19M4 | M4 Hex Nut |
| SSF1B19M5 | M5 Hex Nut |

| part number | fastener size |
|-------------|---------------|
| SSF1B19M6 | M6 Hex Nut |
| SSF1B19M8 | M8 Hex Nut |


316 Stainless Steel hexagonal nut on a blind 23mm diameter base plate



| part number | fastener size |
|-------------|---------------|
| SSF1B23M3 | M3 Hex Nut |
| SSF1B23M4 | M4 Hex Nut |
| SSF1B23M5 | M5 Hex Nut |

| part number | fastener size |
|-------------|---------------|
| SSF1B23M6 | M6 Hex Nut |
| SSF1B23M8 | M8 Hex Nut |
| SSF1B23M10 | M10 Hex Nut |

316 Stainless Steel hexagonal nut on a blind 30x30mm square base plate



| part number | fastener size |
|-------------|---------------|
| SSF1B3030M4 | M4 Hex Nut |
| SSF1B3030M5 | M5 Hex Nut |
| SSF1B3030M6 | M6 Hex Nut |

| part number | fastener size |
|--------------|---------------|
| SSF1B3030M8 | M8 Hex Nut |
| SSF1B3030M10 | M10 Hex Nut |
| SSF1B3030M12 | M12 Hex Nut |


316 Stainless Steel hexagonal nut on a blind 38x15mm rectangular base plate



| part number | fastener size |
|-------------|---------------|
| SSF1B3815M3 | M3 Hex Nut |
| SSF1B3815M4 | M4 Hex Nut |
| SSF1B3815M5 | M5 Hex Nut |

| part number | fastener size |
|--------------|---------------|
| SSF1B3815M6 | M6 Hex Nut |
| SSF1B3815M8 | M8 Hex Nut |
| SSF1B3815M10 | M10 Hex Nut |


316 Stainless Steel hexagonal nut on a sighted 38mm diameter base plate



| part number | fastener size |
|-------------|---------------|
| SSF1B38M4 | M4 Hex Nut |
| SSF1B38M5 | M5 Hex Nut |
| SSF1B38M6 | M6 Hex Nut |

| part number | fastener size |
|-------------|---------------|
| SSF1B38M8 | M8 Hex Nut |
| SSF1B38M10 | M10 Hex Nut |
| SSF1B38M12 | M12 Hex Nut |

316 Stainless Steel hexagonal nut on a blind 50mm diameter base plate




| part number | fastener size |
|-------------|---------------|
| SSF1B50M5 | M5 Hex Nut |
| SSF1B50M6 | M6 Hex Nut |
| SSF1B50M8 | M8 Hex Nut |

| part number | fastener size |
|-------------|---------------|
| SSF1B50M10 | M10 Hex Nut |
| SSF1B50M12 | M12 Hex Nut |



316 Stainless Steel female threaded insert on a sighted 19mm diameter base plate



| part number | fastener size |
|-------------|---------------|
| SSF2S19M45 | M4x5 |
| SSF2S19M46 | M4x6 |
| SSF2S19M410 | M4x10 |
| SSF2S19M415 | M4x15 |
| SSF2S19M420 | M4x20 |
| SSF2S19M55 | M5x5 |
| SSF2S19M56 | M5x6 |

| part number | fastener size |
|-------------|---------------|
| SSF2S19M510 | M5x10 |
| SSF2S19M515 | M5x15 |
| SSF2S19M520 | M5x20 |
| SSF2S19M65 | M6x5 |
| SSF2S19M66 | M6x6 |
| SSF2S19M610 | M6x10 |
| SSF2S19M615 | M6x15 |

EXAMPLE OF PART NUMBER

SS - stainless steel
F2 - female threaded bush
S - sighted perforated base plate (with central thru-hole)
19 - 19mm base plate
M4 - 4mm internal thread diameter
5 - length of thread in mm

| part number | fastener size |
|-------------|---------------|
| SSF2S19M620 | M6x20 |
| SSF2S19M85 | M8x5 |
| SSF2S19M86 | M8x6 |
| SSF2S19M810 | M8x10 |
| SSF2S19M815 | M8x15 |
| SSF2S19M820 | M8x20 |



316 Stainless Steel female threaded insert on a sighted 23mm diameter base plate

| part number | fastener size |
|-------------|---------------|
| SSF2S23M45 | M4x5 |
| SSF2S23M46 | M4x6 |
| SSF2S23M410 | M4x10 |
| SSF2S23M415 | M4x15 |
| SSF2S23M420 | M4x20 |
| SSF2S23M55 | M5x5 |
| SSF2S23M56 | M5x6 |
| SSF2S23M510 | M5x10 |
| SSF2S23M515 | M5x15 |
| SSF2S23M520 | M5x20 |

| part number | fastener size |
|-------------|---------------|
| SSF2S23M65 | M6x5 |
| SSF2S23M66 | M6x6 |
| SSF2S23M610 | M6x10 |
| SSF2S23M615 | M6x15 |
| SSF2S23M620 | M6x20 |
| SSF2S23M85 | M8x5 |
| SSF2S23M86 | M8x6 |
| SSF2S23M810 | M8x10 |
| SSF2S23M815 | M8x15 |
| SSF2S23M820 | M8x20 |

| part number | fastener size |
|--------------|---------------|
| SSF2S23M105 | M10x5 |
| SSF2S23M106 | M10x6 |
| SSF2S23M1010 | M10x10 |
| SSF2S23M1015 | M10x15 |
| SSF2S23M1020 | M10x20 |




316 Stainless Steel female threaded insert on a sighted 30x30mm square base plate


| part number | fastener size |
|---------------|---------------|
| SSF2S3030M45 | M4x5 |
| SSF2S3030M46 | M4x6 |
| SSF2S3030M410 | M4x10 |
| SSF2S3030M415 | M4x15 |
| SSF2S3030M420 | M4x20 |
| SSF2S3030M55 | M5x5 |
| SSF2S3030M56 | M5x6 |
| SSF2S3030M510 | M5x10 |
| SSF2S3030M515 | M5x15 |
| SSF2S3030M520 | M5x20 |

| part number | fastener size |
|---------------|---------------|
| SSF2S3030M65 | M6x5 |
| SSF2S3030M66 | M6x6 |
| SSF2S3030M610 | M6x10 |
| SSF2S3030M615 | M6x15 |
| SSF2S3030M620 | M6x20 |
| SSF2S3030M85 | M8x5 |
| SSF2S3030M86 | M8x6 |
| SSF2S3030M810 | M8x10 |
| SSF2S3030M815 | M8x15 |
| SSF2S3030M820 | M8x20 |

| part number | fastener size |
|----------------|---------------|
| SSF2S3030M105 | M10x5 |
| SSF2S3030M106 | M10x6 |
| SSF2S3030M1010 | M10x10 |
| SSF2S3030M1015 | M10x15 |
| SSF2S3030M1020 | M10x20 |



316 Stainless Steel female threaded insert on a sighted 38x15mm rectangular base plate




EXAMPLE OF PART NUMBER

SS - stainless steel
F2 - female threaded bush
S - sighted perforated base plate (with central thru-hole)
3815 - 38x15mm base plate
M4 - 4mm internal thread diameter
5 - length of thread in mm

| part number | fastener size |
|---------------|---------------|
| SSF2S3815M45 | M4x5 |
| SSF2S3815M46 | M4x6 |
| SSF2S3815M410 | M4x10 |
| SSF2S3815M415 | M4x15 |
| SSF2S3815M420 | M4x20 |
| SSF2S3815M55 | M5x5 |
| SSF2S3815M56 | M5x6 |
| SSF2S3815M510 | M5x10 |
| SSF2S3815M515 | M5x15 |
| SSF2S3815M520 | M5x20 |

| part number | fastener size |
|---------------|---------------|
| SSF2S3815M65 | M6x5 |
| SSF2S3815M66 | M6x6 |
| SSF2S3815M610 | M6x10 |
| SSF2S3815M615 | M6x15 |
| SSF2S3815M620 | M6x20 |
| SSF2S3815M85 | M8x5 |
| SSF2S3815M86 | M8x6 |
| SSF2S3815M810 | M8x10 |
| SSF2S3815M815 | M8x15 |
| SSF2S3815M820 | M8x20 |

| part number | fastener size |
|----------------|---------------|
| SSF2S3815M105 | M10x5 |
| SSF2S3815M106 | M10x6 |
| SSF2S3815M1010 | M10x10 |
| SSF2S3815M1015 | M10x15 |
| SSF2S3815M1020 | M10x20 |




316 Stainless Steel female threaded insert on a sighted 38mm diameter base plate

| part number | fastener size |
|-------------|---------------|
| SSF2S38M45 | M4x5 |
| SSF2S38M46 | M4x6 |
| SSF2S38M410 | M4x10 |
| SSF2S38M415 | M4x15 |
| SSF2S38M420 | M4x20 |
| SSF2S38M55 | M5x5 |
| SSF2S38M56 | M5x6 |
| SSF2S38M510 | M5x10 |
| SSF2S38M515 | M5x15 |
| SSF2S38M520 | M5x20 |

| part number | fastener size |
|-------------|---------------|
| SSF2S38M65 | M6x5 |
| SSF2S38M66 | M6x6 |
| SSF2S38M610 | M6x10 |
| SSF2S38M615 | M6x15 |
| SSF2S38M620 | M6x20 |
| SSF2S38M85 | M8x5 |
| SSF2S38M86 | M8x6 |
| SSF2S38M810 | M8x10 |
| SSF2S38M815 | M8x15 |
| SSF2S38M820 | M8x20 |

| part number | fastener size |
|--------------|---------------|
| SSF2S38M105 | M10x5 |
| SSF2S38M106 | M10x6 |
| SSF2S38M1010 | M10x10 |
| SSF2S38M1015 | M10x15 |
| SSF2S38M1020 | M10x20 |



316 Stainless Steel female threaded insert on a sighted 50mm diameter base plate

| part number | fastener size |
|-------------|---------------|
| SSF2S50M610 | M6x10 |
| SSF2S50M615 | M6x15 |
| SSF2S50M620 | M6x20 |

| part number | fastener size |
|-------------|---------------|
| SSF2S50M810 | M8x10 |
| SSF2S50M815 | M8x15 |
| SSF2S50M820 | M8x20 |

| part number | fastener size |
|--------------|---------------|
| SSF2S50M1010 | M10x10 |
| SSF2S50M1015 | M10x15 |
| SSF2S50M1020 | M10x20 |

STAINLESS STEEL THREADED BUSH (SIGHTED)



316 Stainless Steel female threaded insert on a blind 19mm diameter base plate




EXAMPLE OF PART NUMBER

SS - stainless steel
F2 - female threaded bush
B - blind perforated base plate (no central thru-hole)
19 - 19mm base plate
M4 - 4mm internal thread diameter
5 - length of thread in mm

| part number | fastener size |
|-------------|---------------|
| SSF2B19M45 | M4x5 |
| SSF2B19M46 | M4x6 |
| SSF2B19M410 | M4x10 |
| SSF2B19M415 | M4x15 |
| SSF2B19M420 | M4x20 |
| SSF2B19M55 | M5x5 |
| SSF2B19M56 | M5x6 |

| part number | fastener size |
|-------------|---------------|
| SSF2B19M510 | M5x10 |
| SSF2B19M515 | M5x15 |
| SSF2B19M520 | M5x20 |
| SSF2B19M65 | M6x5 |
| SSF2B19M66 | M6x6 |
| SSF2B19M610 | M6x10 |
| SSF2B19M615 | M6x15 |

| part number | fastener size |
|-------------|---------------|
| SSF2B19M620 | M6x20 |
| SSF2B19M85 | M8x5 |
| SSF2B19M86 | M8x6 |
| SSF2B19M810 | M8x10 |
| SSF2B19M815 | M8x15 |
| SSF2B19M820 | M8x20 |




316 Stainless Steel female threaded insert on a blind 23mm diameter base plate

| part number | fastener size |
|-------------|---------------|
| SSF2B23M45 | M4x5 |
| SSF2B23M46 | M4x6 |
| SSF2B23M410 | M4x10 |
| SSF2B23M415 | M4x15 |
| SSF2B23M420 | M4x20 |
| SSF2B23M55 | M5x5 |
| SSF2B23M56 | M5x6 |
| SSF2B23M510 | M5x10 |
| SSF2B23M515 | M5x15 |
| SSF2B23M520 | M5x20 |

| part number | fastener size |
|-------------|---------------|
| SSF2B23M65 | M6x5 |
| SSF2B23M66 | M6x6 |
| SSF2B23M610 | M6x10 |
| SSF2B23M615 | M6x15 |
| SSF2B23M620 | M6x20 |
| SSF2B23M85 | M8x5 |
| SSF2B23M86 | M8x6 |
| SSF2B23M810 | M8x10 |
| SSF2B23M815 | M8x15 |
| SSF2B23M820 | M8x20 |

| part number | fastener size |
|--------------|---------------|
| SSF2B23M105 | M10x5 |
| SSF2B23M106 | M10x6 |
| SSF2B23M1010 | M10x10 |
| SSF2B23M1015 | M10x15 |
| SSF2B23M1020 | M10x20 |



316 Stainless Steel female threaded insert on a blind 30x30mm square base plate

| part number | fastener size |
|---------------|---------------|
| SSF2B3030M45 | M4x5 |
| SSF2B3030M46 | M4x6 |
| SSF2B3030M410 | M4x10 |
| SSF2B3030M415 | M4x15 |
| SSF2B3030M420 | M4x20 |
| SSF2B3030M55 | M5x5 |
| SSF2B3030M56 | M5x6 |
| SSF2B3030M510 | M5x10 |
| SSF2B3030M515 | M5x15 |

| part number | fastener size |
|---------------|---------------|
| SSF2B3030M520 | M5x20 |
| SSF2B3030M65 | M6x5 |
| SSF2B3030M66 | M6x6 |
| SSF2B3030M610 | M6x10 |
| SSF2B3030M615 | M6x15 |
| SSF2B3030M620 | M6x20 |
| SSF2B3030M85 | M8x5 |
| SSF2B3030M86 | M8x6 |
| SSF2B3030M810 | M8x10 |

| part number | fastener size |
|----------------|---------------|
| SSF2B3030M815 | M8x15 |
| SSF2B3030M820 | M8x20 |
| SSF2B3030M105 | M10x5 |
| SSF2B3030M106 | M10x6 |
| SSF2B3030M1010 | M10x10 |
| SSF2B3030M1015 | M10x15 |
| SSF2B3030M1020 | M10x20 |

EXAMPLE OF PART NUMBER

SS - stainless steel
F2 - female threaded bush
B - blind perforated base plate
 (no central thru-hole)
3815 - 38x15mm base plate
M4 - 4mm internal thread diameter
5 - length of thread in mm




316 Stainless Steel female threaded insert on a blind 38x15mm rectangular base plate



| part number | fastener size |
|---------------|---------------|
| SSF2B3815M45 | M4x5 |
| SSF2B3815M46 | M4x6 |
| SSF2B3815M410 | M4x10 |
| SSF2B3815M415 | M4x15 |
| SSF2B3815M420 | M4x20 |
| SSF2B3815M55 | M5x5 |
| SSF2B3815M56 | M5x6 |
| SSF2B3815M510 | M5x10 |
| SSF2B3815M515 | M5x15 |
| SSF2B3815M520 | M5x20 |

| part number | fastener size |
|---------------|---------------|
| SSF2B3815M65 | M6x5 |
| SSF2B3815M66 | M6x6 |
| SSF2B3815M610 | M6x10 |
| SSF2B3815M615 | M6x15 |
| SSF2B3815M620 | M6x20 |
| SSF2B3815M85 | M8x5 |
| SSF2B3815M86 | M8x6 |
| SSF2B3815M810 | M8x10 |
| SSF2B3815M815 | M8x15 |
| SSF2B3815M820 | M8x20 |

| part number | fastener size |
|----------------|---------------|
| SSF2B3815M105 | M10x5 |
| SSF2B3815M106 | M10x6 |
| SSF2B3815M1010 | M10x10 |
| SSF2B3815M1015 | M10x15 |
| SSF2B3815M1020 | M10x20 |




316 Stainless Steel female threaded insert on a blind 38mm diameter base plate

| part number | fastener size |
|-------------|---------------|
| SSF2B38M45 | M4x5 |
| SSF2B38M46 | M4x6 |
| SSF2B38M410 | M4x10 |
| SSF2B38M415 | M4x15 |
| SSF2B38M420 | M4x20 |
| SSF2B38M55 | M5x5 |
| SSF2B38M56 | M5x6 |
| SSF2B38M510 | M5x10 |
| SSF2B38M515 | M5x15 |
| SSF2B38M520 | M5x20 |

| part number | fastener size |
|-------------|---------------|
| SSF2B38M65 | M6x5 |
| SSF2B38M66 | M6x6 |
| SSF2B38M610 | M6x10 |
| SSF2B38M615 | M6x15 |
| SSF2B38M620 | M6x20 |
| SSF2B38M85 | M8x5 |
| SSF2B38M86 | M8x6 |
| SSF2B38M810 | M8x10 |
| SSF2B38M815 | M8x15 |
| SSF2B38M820 | M8x20 |

| part number | fastener size |
|--------------|---------------|
| SSF2B38M105 | M10x5 |
| SSF2B38M106 | M10x6 |
| SSF2B38M1010 | M10x10 |
| SSF2B38M1015 | M10x15 |
| SSF2B38M1020 | M10x20 |



316 Stainless Steel female threaded insert on a blind 50mm diameter base plate

| part number | fastener size |
|-------------|---------------|
| SSF2B50M610 | M6x10 |
| SSF2B50M615 | M6x15 |
| SSF2B50M620 | M6x20 |

| part number | fastener size |
|-------------|---------------|
| SSF2B50M810 | M8x10 |
| SSF2B50M815 | M8x15 |
| SSF2B50M820 | M8x20 |

| part number | fastener size |
|--------------|---------------|
| SSF2B50M1010 | M10x10 |
| SSF2B50M1015 | M10x15 |
| SSF2B50M1020 | M10x20 |

Adhesives

Our RA300 adhesive is a high strength, fast curing two-part structural adhesive system.

On application, the grade's high viscosity is ideal for use with our fasteners, as well as gap filling and vertical surface applications. This unique Methacrylate chemistry can offer excellent tensile and impact strength, even without priming the surfaces. In addition, the advanced macro structure provides the bonded assembly with excellent environmental and chemical resistance in the most demanding applications.




Features:

- High Viscosity - Non Slump Application
- High Impact Strength & Fatigue Endurance
- Fast Cure System (12-15 mins fixture time)
- Ideal for use with Veck bonding fasteners

Special Products

If you are unable to find a suitable fastener from within our standard range please contact us immediately for a quotation.



Please be aware that part availability can vary and is subject to change without notice. Customers are advised to contact us regarding our current stock levels and lead times.

The minimum order quantity is 100 pcs and parts are sold in multiples of 100 pcs. All prices quoted are in Pounds Sterling (£), priced per 100 and do not include carriage or VAT. Orders are accepted in line with our standard Terms & Conditions, which are available upon request or from our website.



VECK COMPOSITE FASTENERS LTD

8 Wyvern Buildings • Grove Trading Estate • Dorchester • Dorset DT1 1ST • United Kingdom
Tel. +44 (0)1305 257800 - Fax. +44 (0)1305 259420
Email. info@veckfasteners.com - www.veckfasteners.com

